

Cololight Strip

Color your home, brighten your life.







30LEDs/M



Length Extensible



Music Sync



RGB LED



Two Way Control



Weatherproof




Timer Task



DIY & Selection Light Effects










Voice Control Starts with "Hi Siri."

Easy setup within only one step to control the Cololight Strip via Apple Home app

"Hi Siri, turn my strip to Red!"

"Hi Siri, set the bedroom lights to 75%"





"Hi Siri, turn on my lights"

"Good night!"



Cololight STRIP by Siri Control

Light Effects Setting via Cololight App

Selection Light Effects


Marquee | Breathing | Flowing Water | Burst Flash


DIY Light Effects

Programmable light color, lighting time, flash frequency, etc.


XT1511 LED Driver Controller Chip

Make every single LED programmable with different light color, lighting time, flash frequency, etc.





IC-5050RGB LEDs



3000h LED Life

Low power consumption

IC-5050RGB LEDs

Fast heat dissipation, perfect light efficiency



IP65

Protected by PU glue and is waterproof

3M Adhesive

Easy installation



Length adjustable by cutting

Spec Comparison

	Cololight Strip	Govee Wi-Fi Strip	Govee Waterproof	Cololight Strip	Govee LED Strip
			Strip		
Color	RGB	RGB	RGB	RGB	RGB
Power Supply	5V 2A	12V 1.5A	12V 2A	5V 2A	5V 2A
Power Consumptio n	10W	18W	24W	10W	10W
Waterproof	✓	Χ	✓	✓	X
Voice Control	Apple Siri / Alexa / Google Assistant	Alexa / Google Assistant	Alexa / Google Assistant	Apple S iri / Alexa / Google Assistant	Alexa / Google Assistan
Lamp Beads	30 LEDs/M	30 LEDs/M	30 LEDs/M	60 LEDs/M	30 LEDs/M
Features	Dimmable, Color Changing, Music Sync, App Controlled, DIY Light Effects, Selection Scene Mode, App Controlled	Color changing, Music Sync	Dimmable, Color Changing, Music Sync, App Controlled	Dimmable, Color Changing, Music Sync, App Controlled, DIY Light Effects, Selection Scene Mode, App Controlled	Dimmable, Sync to Music, 3-way switching

Spec. of Cololight STRIP Controller

Size 46.5x28x30.5mm **Operating Humidity** 5-90% Casing ABS Weight 54g Wi-Fi 802.11b/g/n **Protocol Power Supply** DC 5V 2A Touch Button/App/Voice Control **Adjust Mode Static Consumption** 0.3W

Max. Power

Consumption

10W per unit

Cololight STRIP Set

Working

Temperature

-5-45° C

Power Adapter, Cololight Strip(2M), Connector, Controller

